

Barge Owner/ Company: Reinauer Transportation Compna Date of Test: 5/15/2018
 Owner Address: 1983 Richmond Terrance City Staten Island State NY
 Barge Name: RTC 165 Official Barge No: 1273527
 Test Method: Pressure Test-40CFR63.565 (C) (1) Testing Location: Senesco Marine, North Kingstown, RI

| Component ID | Total Volume of Product Tank (bbl) (V) | Initial Pressure (In. of H2O) [P (I)] | Max. Permitted Loading Rate (bbls/hr) [L] | Type of Air dry/inert | Time PRV pressure obtained | Pressure Reading after 30 min (in. of H2O) [P (F)] | P=P(I)-P(F) | Pla= P(I)/27.7 | PM=.861*Pla*L/V | IF P<PM, VESSEL IS TIGHT |
|---------------|---|---|--|-----------------------|----------------------------|--|-------------|----------------|-----------------|--------------------------|
| 1 Port | 14,195 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 1.03 | Tight |
| 1 Stbd | 14,195 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 1.03 | Tight |
| 2 Port | 16,967 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.862 | Tight |
| 2 Stbd | 16,967 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.862 | Tight |
| 3 Port | 16,967 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.862 | Tight |
| 3 Stbd | 16,967 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.862 | Tight |
| 4 Port | 16,967 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.862 | Tight |
| 4 STbd | 16,967 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.862 | Tight |
| 5 Port | 15,850 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.923 | Tight |
| 5 Stbd | 15,850 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.923 | Tight |
| Entire Vessel | 161,892 | 27.679 904 843 | 17000 | Dry | 30 Minutes | 27.679 904 843 | 0 | 1 | 0.09 | Tight |

List any Leaks found or repairs made during annual vapor tightness test: _____

" I certify that this vessel is vapor -tight as required by 40CFR63.563 (C) (1)"

Name of Tester (print): Michael A. Day Witness Name (if any): LT JORDAN ORTIZ, USCG *[Signature]* 15 MAY 18
 Tester Title: QC Manager Witness Signature: *[Signature]* 102351